



COVE™ MINI SERIES



PRIMITIVE POWER

RETROFIT CAPABILITIES

Cove™ Mini is an integral power and charging component designed to easily retrofit into many manufacturers standard 3.27" x 1.9" cutouts. Some of these include Global, Total Office, Group Lacasse and Steelcase 9000 products. Spill resistant power receptacles and a unique "spill-safe" coating enclose the USB circuit board, protecting against electrical damage in the event of an unexpected spill. This special feature provides the worry-free freedom to mount the unit face up in surfaces. Round and rectangular faceplate's offer you multiple options for customizing your work surface.



FEATURES:

Applications

Bezel / In-Surface

Standard Finishes

- Silver Pearl

Gloss White

Black

Brushed Aluminum
-

Faceplate Options

- Round
- Rectangular



Specifications

- 1-2 - 15A/120V AC Spill-Resistant Receptacles
 - 2.1A/10.5W USB Charging Ports
 - Standard Cord Length: 108" with 90-Degree Plug
 - Round or Rectangular Faceplate Options
- Recommended Table Thickness: 0.50" - 2"
 - Recommended Table Cutout: 3.27" x 1.90"
 - ETL Listed for US and Canada

Dimensions

- Round Faceplate Dimensions: 4" Diameter
- Rectangular Faceplate Dimensions: 2.25" x 3.75" Diameter
- Round & Rectangular Standard Mini Dimensions (Power Bases are Equal in Size): 1.6" x 3.02" x 3.12"

DESCRIPTION

FINISH

PART NUMBER

Cove™ Mini Rectangular Faceplate - Corded

- 1 Power, (2) 2.1 AMP USB, 108" Cord

Silver Pearl
Black
Gloss White
Brushed Alminum

COV-SM-1U-S-108
COV-SM-1U-B-108
COV-SM-1U-GW108
COV-SM-1U-AL108

- 2 Power Only, 108" Cord

Silver Pearl
Black
Gloss White
Brushed Alminum

COV-SM-2-S-108
COV-SM-2-B-108
COV-SM-2-GW-108
COV-SM-2-AL-108

- (2) 2.1 AMP USB, 108" Cord

Silver Pearl
Black
Gloss White
Brushed Alminum

COV-SM-U-S-108
COV-SM-U-B-108
COV-SM-U-GW-108
COV-SM-U-AL-108

Cove Standard Cord Length is 108". Additional Cord Length options available at cost: 36", 72", 144" and 180".
Replace "108" in the listed Part Number with Appropriate Cord Length: 36", 72", 144" or 180".

Cove™ Mini Round Faceplate - Corded

- 1 Power, (2) 2.1 AMP USB, 108" Cord

Silver Pearl
Black
Gloss White

COV-SM-R-1US108
COV-SM-R-1UB108
COV-SM-R1UGW108

- 2 Power Only, 108" Cord

Silver Pearl
Black
Gloss White


COV-SM-R-2-S108
COV-SM-R-2-B108
COV-SM-R-2GW108

- (2) 2.1 AMP USB, 108" Cord

Silver Pearl
Black
Gloss White

COV-SM-R-U-S108
COV-SM-R-U-B108
COV-SM-R-UGW108

Cove Standard Cord Length is 108". Additional Cord Length options available at cost: 36", 72", 144" and 180".
Replace "108" in the listed Part Number with Appropriate Cord Length: 36", 72", 144" or 180".



FEATURES:

Applications

Bezel / In-Surface

Standard Finishes


- Silver Pearl

Black

Gloss White

Brushed Aluminum
-

COVE™ SERIES - CORDED & HARDWIRED




Specifications

- 1-6 - 12A, 120VAC Spill Resistant Receptacles
 - 2.1A/10.5W USB Charging Ports (Available on Select Models)
 - Covenience Outlets (Available on Select Models)
 - Corded & Hardwire Options
 - Standard Cord and Hardwire Whip Length: 108"
 - Corded Units Equipped with 90-Degree Plug
 - Fully Customizable Telecom Plate Knockouts (Available on Select Models; Purchased Separately)
- Recommended Surface Thickness: 0.75" - 1.25"
 - Optional Mounting Accessory: 1.50" Mounting Bracket for Surface Thicknesses up-to 1.50"
 - Mounting Capabilities include: Clamp-Mount, Screw-Mount and Units with Additional Receptacles Below the Surface (See Following Page for Additional Mounting Specifics)
 - ETL Listed for US and Canada


Dimensions

- Cove Corded & Hardwired Standard Width & Depth Dimensions: 2.50 W x 3.18" D
- Cove Faceplate Dimensions Vary by Configuration - Reference Chart for Details

Configuration	Faceplate Length
COV-1U COV-2	5.00"
COV-1U-S COV-2-S COV-2U COV-21	5.75"
COV-2	6.25"
COV-2U-S	6.50"
COV-22U COV-3U COV-31U COV-4	7.75"
COV-22U-S COV-3U-S	8.50"
COV-4U	8.75"
COV-2U-D	9.50"
COV-3-D	10"
COV-2U-S-D	10.25"
COV-6	10.75"
COV-3U-D COV-4-D	11.50"
COV-3U-S-D	12.25"
COV-4U-D	12.50"
COV-6U	13.25"
COV-6UD	17"




Cove Series - Corded
Screw-Mount Option Shown




Cove 1 Power 2 USB - Corded
Clamp-Mount Option Shown

COVE MOUNTING CAPABILITIES




Clamp-Mount -

The Clamp mounting method requires no tools, and is best suited for installations where the back of the unit is easily accessible. The clamp mount works well for desks, benches, tables and case goods. The Cove is fastened to the furniture from the rear by tightening the thumbscrews.



Screw-Mount -

The screw mounting method is best suited to installations where the back of the unit has limited, or no access. Ideal for soft sided seating, lounge furniture and support columns. The screws are inserted from the front of the unit, through the face of the Cove, fastening the Cove to the furniture.



Convenience Outlets-

Convenience outlets are perfect for stationary accessories like lamps, computers, or monitors which do not need to be accessed often allowing more room to plug in temporary devices like laptops, tablets, and mobile phones above the work surface where they are more easily accessible.

Configuration Grid -

Number of Receptacles:	1	2	3	4	6
Power Only		✓	✓	✓	✓
USB	✓	✓	✓	✓	✓
Screw Mount	✓	✓	✓		
Convenience Outlet		✓	✓		
Data Capability			✓	✓	
USB & Data Capability		✓	✓	✓	✓

DESCRIPTION	FINISH	PART NUMBER
Cove™ Power Only - Corded		
• 2 power with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-2-GW-108 COV-2-S-108 COV-2-B-108 COV-2-AL-108
• 3 power with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-3-GW-108 COV-3-S-108 COV-3-B-108 COV-3-AL-108
• 4 power with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-4-GW-108 COV-4-S-108 COV-4-B-108 COV-4-AL-108
• 6 power with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-6-GW-108 COV-6-S-108 COV-6-B-108 COV-6-AL-108

Cove™ Power with Convenience Outlets - Corded		
• 2 Power, 1 convenience outlet with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-21-GW-108 COV-21-S-108 COV-21-B-108 COV-21-AL-108
• 2 power, 2 USB ports, 2 convenience outlets with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-22U-GW108 COV-22U-S-108 COV-22U-B-108 COV-22U-AL108
• 3 power, 2 USB ports, 1 convenience outlets with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-31U-GW-108 COV-31U-S-108 COV-31U-B-108 COV-31U-AL-108

Cove™ Power with Data Capability - Corded		
• 2 Power, 2 USB ports, 1 telecom plate knockout with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-2U-D-GW-108 COV-2U-D-S-108 COV-2U-D-B-108 COV-2U-D-AL-108
• 3 power, 2 USB ports, 1 telecom plate knockout with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-3U-D-GW-108 COV-3U-D-S-108 COV-3U-D-B-108 COV-3U-D-AL-108
• 3 Power, 1 telecom plate knockout with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-4U-D-GW-108 COV-4U-D-S-108 COV-4U-D-B-108 COV-4U-D-AL-108
• 4 power 1 telecom plate knockout with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-6U-D-GW-108 COV-6U-D-S-108 COV-6U-D-B-108 COV-6U-D-AL-108
• 4 Power, 2 USB ports, 1 telecom plate knockout with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-3-D-GW-108 COV-3-D-S-108 COV-3-D-B-108 COV-3-D-AL-108
• 6 power, 4 USB ports, 1 telecom plate knockout with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-4-D-GW-108 COV-4-D-S-108 COV-4-D-B-108 COV-4-D-AL-108

Cove Standard Cord Length is 108". Additional Cord Length options available at cost: 36", 72", 144" and 180". Replace "108" in the listed Part Number with Appropriate Cord Length: 36", 72", 144" or 180". Telecom Plates sold separately.

DESCRIPTION	FINISH	PART NUMBER
Cove™ Power with USB Charging - Corded		
• 1 power, 2 USB ports with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-1U-GW-108 COV-1U-S-108 COV-1U-B-108 COV-1U-AL-108
• 2 power, 2 USB ports with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-2U-GW-108 COV-2U-S-108 COV-2U-B-108 COV-2U-AL-108
• 3 power, 2 USB ports with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-3U-GW-108 COV-3U-S-108 COV-3U-B-108 COV-3U-AL-108
• 4 Power, 2 USB ports with 108" cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-4U-GW-108 COV-4U-S-108 COV-4U-B-108 COV-4U-AL-108
• 6 power, 2 USB ports with 108" Cord	Gloss White Silver Pearl Black Brushed Aluminum	COV-6U-GW-108 COV-6U-S-108 COV-6U-B-108 COV-6U-AL-108

Cove™ Screw-Mount - Corded (Screws Not Included)		
• 1 power, 2 USB ports with 108" cord screw-mount	Gloss White Silver Pearl Black Brushed Aluminum	COV-1U-S-GW-108 COV-1U-S-S-108 COV-1U-S-B-108 COV-1U-S-AL-108
• 2 Power with 108" cord screw-mount	Gloss White Silver Pearl Black Brushed Aluminum	COV-2-S-GW-108 COV-2-S-S-108 COV-2-S-B-108 COV-2-S-AL-108
• 2 power, 2 USB ports with 108" cord screw-mount	Gloss White Silver Pearl Black Brushed Aluminum	COV-2U-S-GW-108 COV-2U-S-S-108 COV-2U-S-B-108 COV-2U-S-AL-108
• 2 power, 2 USB ports, 2 convenience outlets with 108" cord - screw-mount	Gloss White Silver Pearl Black Brushed Aluminum	COV-22U-S-GW108 COV-22U-S-S-108 COV-22U-S-B-108 COV-22U-S-AL108
• 3 Power, 2 USB ports with 108" cord screw-mount	Gloss White Silver Pearl Black Brushed Aluminum	COV-3U-S-GW-108 COV-3U-S-S-108 COV-3U-S-B-108 COV-3U-S-AL-108

Cove Standard Cord Length is 108". Additional Cord Length options available at cost: 36", 72", 144" and 180". Replace "108" in the listed Part Number with Appropriate Cord Length: 36", 72", 144" or 180". Telecom Plates sold separately.

DESCRIPTION	FINISH	PART NUMBER
Cove™ Power Only - Hardwired		
2 power with 108" Hardwire Whip	Gloss White Silver Pearl Black Brushed Aluminum	COV-2-GW-HW108 COV-2-S-HW108 COV-2-B-HW108 COV-2-AL-HW108
Cove™ Power with Convenience Outlets - Hardwired		
3 power, 2 USB ports, 1 convenience outlets with 108" Hardwire Whip	Gloss White Silver Pearl Black Brushed Aluminum	COV-31U-GW-HW108 COV-31U-S-HW108 COV-31U-B-HW108 COV-31U-AL-HW108
Cove™ Power with USB Charging - Hardwired		
2 power, 2 USB ports with 108" Hardwire Whip	Gloss White Silver Pearl Black Brushed Aluminum	COV-2U-GW-108 COV-2U-S-108 COV-2U-B-108 COV-2U-AL-108
4 Power, 2 USB ports with 108" Hardwire Whip	Gloss White Silver Pearl Black Brushed Aluminum	COV-4U-GW-108 COV-4U-S-108 COV-4U-B-108 COV-4U-AL-108
Cove Standard Hardwire Whip Length is 108". Additional Whip Length options available at cost: 36", 72", 144" and 180". Replace "108" in the listed Part Number with Appropriate Whip Length: 36", 72", 144" or 180".		
Cove™ Bracket Accessory		
Optional Cove Mounting Bracket for Table Thicknesses up to "1.50"	Black	COV-1.5-BRKT